



OFIS PREMIER CHAIR COLLECTION VERSION 1



PU LEATHER | SOFTECH
FABRIC | MESH



TABLE OF CONTENT



TABLE OF CONTENT

59-PACECO



67-ENNA



74-COMO



79-HORA



84-SIENA



90-ELINI



95-FIRENZE



98-ASTI



102-ZAFFA



TABLE OF CONTENT

105-BELLA



109-SAMO



113-PETINA



121-KASTEL



117-KLAUS



125-PALENA



129-BAVENO



COLOUR CHART



3 YEARS WARRANTY

Ofis
PREMIER
MALFA






MX8110P-18D58
Presidential high back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support


RM 1,573



MX8111P-18D58
Presidential medium back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support


RM 1,488



MX8110P-20A68
Presidential high back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support


RM 1,415



MX8111P-20A68
Presidential medium back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support

RM 1,330






MX8110F-18D58
Presidential high back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support


RM 1,657



MX8111F-18D58
Presidential medium back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support


RM 1,573



MX8110F-20A68
Presidential high back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)


RM 1,500



MX8111F-20A68
Presidential medium back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)

RM 1,415



LEATHER SERIES

MALFA




MX8110L-18D58
Presidential high back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support
- PU / leather applicable to headrest and seat only

PU RM 1,555

H.L RM 1,760




MX8111L-18D58
Presidential medium back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support
- PU / leather applicable to seat only

PU RM 1,470

H.L RM 1,675




FABRIC SERIES



MX8110N - 18D58
Presidential high back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support
- Fabric applicable to headrest and seat only


RM 1,536



MX8111N - 18D58
Presidential medium back

- AB18 aluminium high base
- D58 3D aluminium adjustable armrest
- Rotary synchronized mechanism (multi-locking)
- LS1 adjustable lumbar support
- Fabric applicable to seat only

RM 1,452



FABRIC SERIES (w/o LUMBAR SUPPORT)

MALFA


3 YEARS WARRANTY



MX8110NLT - 20A68
Presidential high back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)
- Fabric applicable to headrest and seat only


RM 1,319



MX8111NLT - 20A68
Presidential medium back

- NB20 nylon high base
- A68 fixed nylon armrest with PU pad
- Rotary synchronized mechanism (multi-locking)
- Fabric applicable to seat only

RM 1,234



PU LEATHER SERIES
(APPLICABLE TO BACKREST & SEAT)


MALFA



MX8112P-20A69
Executive low back

- NB20 nylon high base
- A69 fixed armrest
- MH106 rotary synchronized mechanism (multi-locking)


RM 720



MX8113P-88CA69
Visitor / Conference chair with arm

- 88C chrome cantilever base
- A69 fixed armrest


RM 659



MX8113P-19A69
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud

RM 773



SOFTECH | ZEN PU LEATHER SERIES
 (APPLICABLE TO BACKREST & SEAT)


MALFA



MX8112F-20A69
 Executive low back

- NB20 nylon high base
- A69 fixed armrest
- MH106 rotary synchronized mechanism (multi-locking)


RM 805



MX8113F-88EA69
 Visitor / Conference chair with arm

- 88E epoxy cantilever base
- A69 fixed armrest


RM 691



MX8113F-19A69
 Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud

RM 862






MX8112L-20A69
Executive low back

- NB20 nylon high base
- A69 fixed armrest
- MH106 rotary synchronized mechanism (multi-locking)
- PU / leather applicable to seat only


PU RM 696
H.L RM 901



MX8113L-88CA69
Visitor / Conference chair with arm

- 88C chrome cantilever base
- A69 fixed armrest
- PU / leather applicable to seat only


PU RM 640
H.L RM 856



MX8113L-19A69
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A69 fixed armrest
- PU / leather applicable to seat only

PU RM 748
H.L RM 963






MX8112N - 20A69
Executive low back

- NB20 nylon high base
- A69 fixed armrest
- MH100 metal spring mechanism (1 locking)
- Fabric applicable to seat only


RM 586



MX8113N - 88EA69
Visitor / Conference chair with arm

- 88E epoxy cantilever base
- A69 fixed armrest
- Fabric applicable to seat only


RM 564




MX8113N - 19A69
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A69 fixed armrest
- Fabric applicable to seat only

RM 728



S P E C I F I C A T I O N



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of commercial adhesive, bolts and nuts.

b Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture.

c Under Seat

Bottom polypropylene cover which made of recycled material is unconventionally secured to the seat that eases the exchange and replacement of the seat upholstery.

d Armrest

Moulded nylon fixed armrest with polyurethane armpad in black finishing.

e Backrest

Nylon backrest frame with adjustable lumbar support in black finishing.

f 5 Pronged Base


Nylon high base that comes with 60mm nylon castors.



1. Adjustable Headrest
2. Adjustable Lumbar Support
3. Adjustable Seat Depth & Slope
4. 3D Adjustable Armrest
5. Replaceable Seat Cushion



OPTIONAL



Adjustable Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, giving comfort and support to neck and head at any seating position. (Pic 1)

Adjustable Armrest with Polyurethane Armpad

Adjustable armrest with polyurethane armpad that allow top slider to rotate in multi-angle to enhance support with best comfort. (Pic 2, 3)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 4, 5)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 6, 7)

4 Pronged Base

4 pronged base in die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 8)

Nylon Castors or Stud

Both the 60mm nylon dual-wheel castors and studs are designed for smooth gliding and also reduce floor scratches. (Pic 9, 10)

Replaceable Seat Cushion

Replaceable seat cushion from the seating plate panel which allows ease of exchange and replace of seat cushion. (Pic 11)

Adjustable Seat Depth & Slope

Using a simple lever under the seat, user can easily adjust the depth as well as the slope of the seating to accommodate his sitting preference and comfort. (Pic 12, 13)

Translucent Lumbar Support

Artfully designed moulded polypropylene lumbar support that promotes ergonomic comfort. (Pic 14)

Rotary Synchronized Mechanism

Multi-locking mechanism that come with seat height adjustment and revolving tension control function. (Pic 15, 16, 17)

Rotary Synchronized Knee Tilt Mechanism

Multi-locking mechanism that come with seat height adjustment and revolving tension control function. (Pic 18, 19)

Ball Motion Mechanism

With the ball motion mechanism, you will be able to sit dynamically. The chair moves as if you were sitting on a ball. Through body muscles, user will keep his body in balance. (Pic 20)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 21)

3 YEARS WARRANTY

Ofis
PREMIER
ROY






RC8520P-18D98
Presidential high back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 1,059



RC8510P-18D98
Presidential high back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 1,041



RC8511P-18D98
Presidential medium back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 974



RC8513P-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

RM 773






RC8520F-24D90
Presidential high back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 998



RC8510F-24D90
Presidential high back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 980



RC8511F-24D90
Presidential medium back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)


RM 913



RC8513F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base

RM 780






RC8520L-18D98
Presidential high back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- PU / leather applicable to headrest and seat only

PU RM 1,035

H.L RM 1,240




RC8511L-18D98
Presidential medium back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- PU / leather applicable to seat only

PU RM 950

H.L RM 1,156




RC8510L-18D98
Presidential high back

- AB18 aluminium high base
- D98 4D aluminium adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- PU / leather applicable to headrest and seat only

PU RM 1,016

H.L RM 1,222




RC8513L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base
- PU / leather applicable to seat only

PU RM 748

H.L RM 963






RC8520N-24D90
Presidential high back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- Fabric applicable to headrest and seat only


RM 870



RC8510N-24D90
Presidential high back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- Fabric applicable to headrest and seat only


RM 853



RC8511N-24D90
Presidential medium back

- NB24 nylon base
- D90 4D nylon adjustable armrest
- MH028 rotary point synchronized mechanism (multi-locking)
- Fabric applicable to seat only


RM 786



RC8513N-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base
- Fabric applicable to seat only


RM 647



SPECIFICATION

1. Adjustable Headrest
2. 4D Adjustable Armrest
3. Seat Slider
4. Mechanism

CALL FOR BEST PRICE



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts.

b Under Seat

Bottom polypropylene cover which made of recycled material is unconventionally secured to the seat that eases the exchange and replacement of the seat upholstery.

c Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort.

d Backrest

Nylon backrest frame with lumbar support in black finish.

e 5 Pronged Base

Polypropylene base that comes with matching 50mm nylon castors.

OPTIONAL



Adjustable Headrest

The angle (non-height) adjustable headrest provides comfort and support to neck and head at any sitting position. (Pic 1)

Headrest

The contoured fix headrest provide comfort support to neck and head. (Pic 2)

4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 3, 4, 5, 6)

5 Pronged Base

5-pronged base in either nylon or die-cast polished aluminium finish generates a highly sophisticated ambience while providing strong stability. (Pic 7, 8)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also to reduce floor scratches. (Pic 9)

Adjustable Seat Depth / Slider Mechanism

ADDITIONAL CHARGE RM 35 PER UNIT

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 10)

Rotary Point Synchronized Mechanism

Multi-locking mechanism comes with seat height adjustment and revolving tension control function. (Pic 11, 12)

Lumbar Support

Nylon backrest frame and lumbar support in transparent black finish. (Pic 13)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder is designed with safety and durability features, allowing for height adjustment of the chair to suit each user's physique. (Pic 14)

3 YEARS WARRANTY

Ofis PREMIER OTANO






OT8810P-18D95
Presidential high back

- AB18 aluminium base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU / leather / softech applicable to headrest, backrest and seat

PU RM 980

ZEN | S RM 1,065




OT8811P-18D95
Presidential medium back

- AB18 aluminium base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU / leather / softech applicable to headrest, backrest and seat

PU RM 920

ZEN | S RM 1,004




OT8813P-92CA75
Visitor / Conference chair with arm

- 92C chrome cantilever base
- A75 nylon fixed armrest
- PU / leather / softech applicable to backrest and seat

PU RM 741

ZEN | S RM 830






OT8810F-20D95
Presidential high back

- NB20 nylon base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU leather / softech applicable to headrest,backrest and seat

PU RM 889

ZEN | S RM 974




OT8810F-20D95
Presidential medium back

- NB20 nylon base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU leather / softech applicable to backrest and seat

PU RM 829

ZEN | S RM 913




OT8813F-92EA75
Visitor / Conference chair with arm

- 92E epoxy cantilever base
- A75 nylon fixed armrest
- PU leather / softech applicable to backrest and seat

PU RM 684

ZEN | S RM 773






OT8810L-18D95
Presidential high back

- AB18 aluminium base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU / leather applicable to headrest and seat only


RM 956



OT8811L-18D95
Presidential medium back

- AB18 aluminium base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- PU / leather applicable to seat only


RM 896



OT8813L-92CA75
Visitor / Conference chair with arm

- 92C chrome cantilever base
- A75 nylon fixed armrest
- PU / leather applicable to seat only

RM 722






OT8810N-20D95
Presidential high back

- NB20 nylon base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- Fabric applicable to headrest and seat only


RM 846



OT8811N-20D95
Presidential medium back

- NB20 nylon base
- D95 adjustable armrest
- MH 028 rotary point synchronized mechanism (multi-locking)
- Fabric applicable to seat only


RM 786



OT8813N-92EA75
Visitor / Conference chair with arm

- 92E epoxy cantilever base
- A75 nylon fixed armrest
- Fabric applicable to seat only

RM 647



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture

c Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

d Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort.

e Backrest

Nylon backrest frame and adjustable lumbar support in transparent black finish.

f 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.

OPTIONAL



Headrest

The contoured fix headrest provide comfort support to neck and head (Pic 1)

Nylon Adjustable Armrest

Nylon adjustable armrest with nylon armpad to enhance support with best comfort. (Pic 2, 3)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 4)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5, 6)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and the rubberized adjustable stud reduces floor scratches. (Pic 7, 8)

Lumbar Support

Nylon backrest frame and adjustable lumbar support in transparent black finish. (Pic 9)

Adjustable Seat Depth / Slider Mechanism

ADDITIONAL CHARGE RM 35 PER UNIT

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 10)

Rotary Point Synchronized Mechanism

Multi-locking mechanism that come with seat height adjustment and revolving tension control function. (Pic 11, 12)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 13)

3 YEARS WARRANTY

Ofis
PREMIER
ZEDIA






ZN8210P-18D36
Presidential high back

- AB18 aluminium base
- D36 adjustable nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 1,016

ZEN | S RM 1,100




ZN8211P-18D36
Presidential medium back

- AB18 aluminium base
- D36 adjustable nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 931

ZEN | S RM 1,016




ZN8213P-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 805

ZEN | S RM 893




ZN8213P-19D36
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 970

ZEN | S RM 1,059



PU LEATHER | SOFTECH SERIES
(WITHOUT BACKREST STRIPE)

ZEDIA


3 YEARS WARRANTY



ZN8210F-24A72
Presidential high back

- NB24 nylon base
- A72 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)


PU RM 859
ZEN | S RM 944



ZN8211F-24A72
Presidential medium back

- NB24 nylon base
- A72 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)


PU RM 774
ZEN | S RM 859



ZN8213F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base


PU RM 710
ZEN | S RM 798



ZN8213F-19A72
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 900
ZEN | S RM 989






ZN8210L-18D36
Presidential high back

- AB18 aluminium base
- D36 adjustable nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / half leather applicable to headrest and seat only


F	RM 980	ZEN S	RM 1,041
PU	RM 998	H.L	RM 1,204



ZN8211L-18D36
Presidential medium back

- AB18 aluminium base
- D36 adjustable nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / half leather applicable to seat only


F	RM 896	ZEN S	RM 956
PU	RM 913	H.L	RM 1,119



ZN8213L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base
- PU leather / fabric / half leather applicable to seat only


F	RM 761	ZEN S	RM 823
PU	RM 780	H.L	RM 995



ZN8213L-19D36
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / half leather applicable to seat only

F	RM 931	ZEN S	RM 995
PU	RM 951	H.L	RM 1,166



FABRIC | PU LEATHER | SOFTECH SERIES
(WITHOUT BACKREST STRIPE)

ZEDIA




ZN8210N-24A72
Presidential high back

- NB24 nylon base
- A72 fixed nylon armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric / PU leather / softech applicable to headrest and seat only

F RM 750 ZEN | S RM 811

PU RM 768




ZN8211N-24A72
Presidential medium back

- NB24 nylon base
- A72 fixed nylon armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric / PU leather / softech applicable to seat only

F RM 666 ZEN | S RM 726

PU RM 683




ZN8213N-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base
- Fabric / PU leather / softech applicable to seat only

F RM 647 ZEN | S RM 710

PU RM 666




ZN8213N-19A72
Visitor / Conference chair with arm


- AB19 4 pronged aluminium base with stud
- MH011 metal synchronized mechanism (1 locking)
- Fabric / PU leather / softech applicable to seat only

F RM 786 ZEN | S RM 850

PU RM 805



SPECIFICATION



a Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort.

d Backrest

Different nylon color backrest stripe frame with chrome or color capping.

e 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.



OPTIONAL SPECIFICATION



Adjustable Headrest

The height adjustable headrest allows precise adjustments of the height, giving comfort and support to neck and head at any seating position. (Pic 1)

Nylon Adjustable Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort (Pic 2)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 3, 4)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5, 6)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 7, 8)

Coloured Backrest Stripe Frame & Capping

Nylon backrest frame and capping with various colour to enhance the elegant design of the chair (Pic 9, 10)

Auto Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 lockings system that smartly calculates to user weight without the weight tension knobs. (Pic 11, 12)

Tilting Mechanism


Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 13, 14)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 15)

3 YEARS WARRANTY

Ofis
PREMIER
SAVONA






SF8410P-24D91 | SF8410F-24D91
Presidential high back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 985

ZEN | S RM 1,070




SF8411P-24D91 | SF8411F-24D91
Presidential medium back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 908

ZEN | S RM 985




SF8413P-89CA | SF8413F-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 792

ZEN | S RM 881




SF8413P-19D91 | SF8413F-19D91
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 982

ZEN | S RM 1,071






SF8410F-24A71
Presidential high back

- NB24 nylon base
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 822

ZEN | S RM 907




SF8411F-24A71
Presidential medium back

- NB24 nylon base
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 738

ZEN | S RM 822




SF8413F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base

PU RM 666

ZEN | S RM 754




SF8413F-19A71
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)

PU RM 856

ZEN | S RM 944



FABRIC | PU LEATHER | SOFTECH
SERIES (L.GREY)


SAVONA



SF8410N-24D91 | SF8410L-24D91
 Presidential high back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / softech applicable to headrest and seat only


F RM 948 ZEN | S RM 1,008
PU RM 961



SF8411N-24D91 | SF8411L-24D91
 Presidential medium back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / softech applicable to seat only


F RM 858 ZEN | S RM 928
PU RM 878



SF8413N-89CA | SF8413L-89CA
 Visitor / Conference chair with arm

- 89CA chrome cantilever base
- PU leather / fabric / softech applicable to seat only


F RM 758 ZEN | S RM 818
PU RM 778



SF8413L-19D91
 Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- D91 4D nylon adjustable armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- PU leather / fabric / softech applicable to seat only

F RM 948 ZEN | S RM 1,008
PU RM 968






SF8410N-24A71
Presidential high back

- NB24 nylon base
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- Fabric applicable to headrest and seat only


RM 788



SF8411N-24A71
Presidential medium back

- NB24 nylon base
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- Fabric applicable to seat only


RM 708



SF8413N-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base
- Fabric applicable to seat only


RM 627



SF8413N-19A71
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A71 fixed nylon armrest
- MH026 self-weight adjustment synchronized mechanism (3 lockings)
- Fabric applicable to seat only

RM 817



S P E C I F I C A T I O N



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts.

b Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture

c Under Seat

Bottom polypropylene cover which made of recycled material is unconventionally secured to the seat that eases the exchange and replacement of the seat upholstery.

d Armrest

Adjustable polyurethane padded armrest that can be in either light grey or black finishing.

e Backrest

Nylon backrest frame has the option to be either in light grey or black finishing.

f 5 Pronged Base

Nylon base can be in either light grey or black finishing that comes with matching 50mm light grey or black nylon castors.

1. Headrest 2. Lumbar Support 3. 4D Adjustable Armrest 4. Mechanism



OPTIONAL



Headrest

The contoured fix headrest provide comfort support to neck and head (Pic 1)

4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 2, 3, 4)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 5)

5 Pronged Base

5 pronged nylon base in either light grey or black finish. (Pic 6, 7)

Nylon Coloured Castors

50mm nylon coloured dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 8)

Lumbar Support

Nylon backrest frame and adjustable lumbar support in transparent black finish. (Pic 9)

Auto Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 lockings system that smartly calculates to user weight without the weight tension knobs. (Pic 10, 11)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 12)

3 YEARS WARRANTY

Ofis
PREMIER
POMPEI



FABRIC SERIES (MESH BACKREST)

POMPEI


3 YEARS WARRANTY



PC8611N-24D91
Presidential medium back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 738



PC8611N-24A72
Presidential medium back

- NB24 nylon base
- D72 nylon fixed armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 677



PC8613N-96CA72
Visitor / Conference chair with arm

- 96C chrome cantilever base
- A72 nylon fixed armrest
- Fabric applicable to seat only


RM 761



PC8613N-96C
Visitor / Conference chair without arm

- 96C chrome cantilever base
- Fabric applicable to seat only

RM 741



PC8611N-15RHD91
Presidential medium back

- AB15 aluminium base with footrest ring and chrome gas lift
- D91 4D nylon adjustable armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 1,046



FABRIC SERIES (POLYPROPYLENE BACKREST)


POMPEI



PC8621A-24D91
Presidential medium back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 720



PC8621A-24A72
Presidential medium back

- NB24 nylon base
- A72 nylon fixed armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 659



PC8623A-96EA72
Visitor / Conference chair with arm

- 96E epoxy cantilever base
- A72 nylon fixed armrest
- Fabric applicable to seat only


RM 684



PC8623A-96E
Visitor / Conference chair without arm

- 96E epoxy cantilever base
- Fabric applicable to seat only


RM 666



PC8621A-15RHA72
Presidential medium back

- AB15 aluminium base with footrest ring and chrome gas lift
- A72 nylon fixed armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 963



SPECIFICATION



- a** Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.
- b** Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture
- c** Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.
- d** Armrest

Nylon adjustable armrest with polyurethane ampad to enhance comfort support.
- e** Backrest


Different colours polypropylene backrest with epoxy black aluminium capping.
- f** 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.

BACKREST



OPTIONAL



4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 1, 2)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 3)

5 Pronged Base

5 pronged nylon or polished aluminium base that supports better stability and mobility. (Pic 4, 5)

Footrests Ring

The polished aluminium base that come with chromed footrest ring provides a better and comfortable sitting position. (Pic 6)

4 Pronged Base

Die-cast polished aluminium base that come with either adjustable stud or castors not only generates sophisticated ambience but also provide strong stability. (Pic 7,8)

Nylon Castors / Adjustable Stud

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and the rubberized adjustable stud reduces floor scratches. (Pic 9, 10, 11)

Backrest Frame & Capping

Mesh or polypropylene backrest with epoxy black aluminium capping. (Pic 12, 13)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 14, 15)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 16, 17)

3 YEARS WARRANTY

Ofis
PREMIER
MAIDA






MH5710L-18D34
Presidential high back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad
- MH011 metal synchronized mechanism (1 locking)

PU RM 829 F.L RM 1,870

ZEN | S RM 913




MH5711L-18D34
Presidential medium back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad
- MH011 metal synchronized mechanism (1 locking)

PU RM 744 F.L RM 1,766

ZEN | S RM 829




MH5712L-18D34
Executive low back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad
- MH011 metal synchronized mechanism (1 locking)

PU RM 732

ZEN | S RM 816

F.L RM 1,718




MH5713L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 678

ZEN | S RM 767

F.L RM 1,584




MH5714L-92C
Visitor / Conference chair without arm

- 92C chrome cantilever base

PU RM 589

ZEN | S RM 678

F.L RM 1,533






MH5710N-20A60
Presidential high back

- NB20 nylon high base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric applicable to headrest and seat only


RM 659



MH5711N-20A60
Presidential medium back

- NB20 nylon high base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 575



MH5712N-20A60
Executive low back

- NB20 nylon high base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 562



MH5713N-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base
- Fabric applicable to seat only


RM 538




MH5714N-92E
Visitor / Conference chair without arm

- 92E epoxy cantilever base
- Fabric applicable to seat only

RM 508



OPTIONAL SPECIFICATION



Adjustable Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, giving comfort and support to neck and head at any seating position. (Pic 1, 2)

Nylon Adjustable Armrest

Nylon adjustable armrest with nylon armpad to enhance support with best comfort. (Pic 3)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 4)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5, 6)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 7)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 8) **ADDITIONAL CHARGE RM 35 PER UNIT**

Tilting Mechanism

Metal synchronized mechanism with seat slide and 1 locking system that come with weight adjustable tension knob. (Pic 9, 10, 11)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 12)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 13)

3 YEARS WARRANTY

Ofis
PREMIER

PRO MAIDA



MANAGER






PS8712N-32D91
Executive low back

- PB32 polypropylene base
- D91 4D nylon adjustable armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 605



PS8712N-32A72
Executive low back

- PB32 polypropylene base
- A72 nylon fixed armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only


RM 544



PS8712N-32
Executive low back

- PB32 polypropylene base
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 527



PS8712N-15
Executive low back

- AB15 aluminium high base with chrome gaslift
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 697





PS8713N-96EA72
Visitor / Conference chair with arm

- 96E epoxy cantilever base
- A72 nylon fixed armrest
- Fabric applicable to seat only

RM 589



PS8714N-96E
Visitor / Conference chair without arm

- 96E epoxy cantilever base
- Fabric applicable to seat only


RM 571



PS8712N-15RHD91
Executive low back

- AB15 aluminium high base with chrome gaslift and foot ring
- D91 4D nylon adjustable armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 931



PS8712N-15RHA72
Executive low back

- AB15 aluminium high base with chrome gaslift and foot ring
- A72 nylon fixed armrest
- MH 011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only

RM 868



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture.

c Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

d Armrest

Nylon adjustable armrest with polyurethane arm pad to enhance support with best comfort.

e Backrest

Nylon backrest frame and adjustable lumbar support in transparent black finish.


f 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.



1. 4D Adjustable Armrest
2. Fixed Armrest

OPTIONAL SPECIFICATION



4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 1, 2)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 3)

5 Pronged Base

5 pronged base in polypropylene finish, generates by highly sophisticated ambience to provide strong stability. (Pic 4)

Footrests Ring

The polished aluminium base that come with chromed footrest ring provides a better and comfortable sitting position. (Pic 5)

4 Pronged Base

Die-cast polished aluminium base that come with either adjustable stud or castors not only generates sophisticated ambience but also provide strong stability. (Pic 6, 7)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 8, 9, 10)

Lumbar Support

Nylon backrest frame and adjustable lumbar support in transparent black finish. (Pic 11)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 12, 13)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 14, 15)

3 YEARS WARRANTY

Ofis
PREMIER
ISSO



FABRIC | PU LEATHER SERIES
(APPLICABLE TO SEAT ONLY)

ISSO




IT8312N-10D34
Executive low back

- AB10 aluminium base
- D34 adjustable nylon armrest with nylon pad
- MH011 metal synchronized mechanism (1 locking)

F RM 659

PU RM 677




IT8312N-24A66
Executive low back

- NB24 nylon base
- A66 fixed armrest
- MH011 metal synchronized mechanism (1 locking)

F RM 538

PU RM 557




IT8313N-93EA66
Visitor / Conference chair with arm

- 93E epoxy cantilever base
- A66 fixed armrest

F RM 488

PU RM 507




IT8313N-19A66
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A66 fixed armrest
- MH011 metal synchronized mechanism (1 locking)

F RM 647

PU RM 666



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover made of recycled material is secured to the seat.

c Armrest

Nylon adjustable armrest with nylon armpad to enhance support with best comfort.

d Backrest

Nylon backrest frame with adjustable lumbar support in black finishing.

e 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.



1. Adjustable Armrest

2. Lumbar Support

3. Mechanism

OPTIONAL SPECIFICATION



Nylon Adjustable Armrest

Nylon adjustable armrest with nylon armpad to enhance support with best comfort. (Pic 1)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 2)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish generates a highly sophisticated ambience while providing strong stability. (Pic 3, 4)

Nylon Castors

50mm or 60mm nylon dual-wheel castors and studs are designed for smooth gliding and also to reduce floor scratches. (Pic 5)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 6, 7, 8)

Lumbar Support

Artfully designed horizontal polypropylene lumbar support with up-down motion to the supporting point or desired position. (Pic 9)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder is designed with safety and durability features, allowing for height adjustment of the chair to suit each user's physique. (Pic 10)

3 YEARS WARRANTY

Ofis PREMIER PRATO



LEATHER SERIES

PRATO




PM6310L-18S54
Presidential high back

- AB18 aluminium high base
- S54 aluminium polished armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)

PU RM 1,095 **F.L** RM 2,020

ZEN | S RM 1,180




PM6311L-18S54
Presidential medium back

- AB18 aluminium high base
- S54 aluminium polished armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)

PU RM 1,076 **F.L** RM 1,966

ZEN | S RM 1,168




PM6312L-18S54
Executive low back

- AB18 aluminium high base
- S54 aluminium polished armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)

PU RM 1,059 **F.L** RM 1,918

ZEN | S RM 1,148




PM6313L-89CA
Visitor / Conference chair with arm


- 89CA chrome cantilever base

PU RM 850 **F.L** RM 1,692

ZEN | S RM 938



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Capping Finishing

Chrome capping finishing located at the bottom of the chair backrest.



1. Seat Slider



2. Mechanism

OPTIONAL SPECIFICATION



Aluminium Armrest

Die-cast polished finish fixed aluminium armrest with upholstery arm pad is designed for its visual aesthetics, durability and reliability. The top upholstery arm pad provides soft texture and cushiony feel for a more comfortable resting of elbows. (Pic 1)

Capping Finishing

Chrome capping finishing located at the bottom of the chair backrest enhances quality upholstery while adding elegant design to the contours of the backrest. (Pic 2)

5 Pronged Base

5 pronged base in die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 3)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 4)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 5)

Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 tensions level adjustable knob and multi-locking system designed to adapt your body weight automatically. (Pic 6, 7)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 8)

3 YEARS WARRANTY



PREMIER
PACECO






PT6610L-13
Presidential high back

- AB13 aluminium high base
- MH106 rotary point synchronized mechanism (multi-locking)

PU RM 1,046 F.L RM 2,020

ZEN | S RM 1,138




PT6611L-13
Presidential medium back

- AB13 aluminium high base
- MH106 rotary point synchronized mechanism (multi-locking)

PU RM 1,004 F.L RM 1,966

ZEN | S RM 1,088




PT6612L-13
Executive low back

- AB16 aluminium high base
- MH106 rotary point synchronized mechanism (multi-locking)

PU RM 992 F.L RM 1,918

ZEN | S RM 1,078






PT6610F-15
Presidential high back

- AB15 4 pronged aluminium base with stud
- MH101 ball motion mechanism


RM 1,059



PT6611F-15
Presidential medium back

- AB15 4 pronged aluminium base with stud
- MH101 ball motion mechanism


RM 1,014



PT6612F-15
Executive low back

- AB15 4 pronged aluminium base with stud
- MH101 ball motion mechanism

RM 1,008



LEATHER SERIES

PACECO

3 YEARS WARRANTY




PT6611L-91C
Presidential medium back

- 91C chrome cantilever base

PU RM 937

F.L RM 1,907




PT6612L-91C
Executive low back

- 91C chrome cantilever base

PU RM 919

F.L RM 1,851



FABRIC SERIES


PACECO



PT6621F-91E
Presidential medium back

- 91E epoxy cantilever base


RM 836



PT6622F-91E
Executive low back

- 91E epoxy cantilever base

RM 817





CTR2001-100C

RM 773



CTR2001-100E

RM 711



CTR2002-102C

RM 920



CTR2002-102E

RM 836






PT6613L-15RH
Presidential medium back

- AB15 aluminium high base with chrome gas lift and footrest ring
- MH101 ball motion mechanism

PU RM 1,071

F.L RM 1,901



PT6613L-15
Presidential medium back

- AB15 aluminium high base with chrome gas lift
- MH101 ball motion mechanism

PU RM 919

F.L RM 1,756




PT6632L-15RH
Executive low back

- AB15 aluminium high base with chrome gas lift and footrest ring
- MH101 ball motion mechanism

PU RM 1,026

F.L RM 1,799




PT6632L-15
Executive low back

- AB15 aluminium high base with chrome gas lift and footrest ring
- MH101 ball motion mechanism

PU RM 875

F.L RM 1,648






PT6631F-13
Presidential medium back

- AB16 aluminium base
- MH102 lift up & down mechanism


RM 707



PT6631F-32
Presidential medium back

- PB32 polypropylene base
- MH102 lift up & down mechanism


RM 605



PT6632F-13
Executive low back

- AB16 aluminium base
- MH102 lift up & down mechanism


RM 666




PT6632F-32
Executive low back

- PB32 polypropylene base
- MH102 lift up & down mechanism

RM 562



SPECIFICATION



a Moulded Foam

High density polyurethane moulded foam with fire retardant feature gives the seat flexibility to conform to the user's seating posture.


b Under Seat

Bottom polypropylene cover made of recycled material is secured to the seat.

c 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.

OPTIONAL SPECIFICATION



Fixed Armrest

Sleek curved armrests provide solid support. (Pic 1, 2, 3)

5 Pronged Base

5-pronged base in either die-cast polished aluminium or nylon finish generates a highly sophisticated ambience while providing strong stability. (Pic 4, 5)

4 Pronged Base

4-pronged base in die-cast polished aluminium finish generates a highly sophisticated ambience while providing strong stability. (Pic 6, 7, 8)

Nylon Castors or stud

50mm or 60mm nylon dual-wheel castors and studs are designed for smooth gliding and also to reduce floor scratches. (Pic 9, 10, 11, 12, 13)

Footrests Ring

The polished aluminium base that comes with a chrome footrest ring provides a better and more comfortable sitting position. (Pic 14)

Rotary Point Synchronized Mechanism

Multi-locking mechanism comes with seat height adjustment and revolving tension control function. (Pic 15, 16)

Ball Motion Mechanism

With the ball motion mechanism, users are able to sit dynamically. The chair moves as if you are sitting on a ball. Through stabilizing the user's body muscles, the body is kept in balance. (Pic 17)

Lift Up & Down Mechanism

Metal mechanism with lift up & down functions that come with pneumatic cylinder. (Pic 18)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder is designed with safety and durability features, allowing for height adjustment of the chair to suit each user's physique. (Pic 19, 20)



3 YEARS WARRANTY

Ofis
PREMIER
ENNA






EV6410F-13A77
Presidential high back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 968



EV6411F-13A77
Presidential medium back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 950



EV6412F-13A77
Executive low back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 931



EV6413F-92EA77
Visitor / Conference chair with arm

- 92E epoxy cantilever base
- A77 fixed armrest

RM 678






EV6410F-13D98
Presidential high back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 1,011



EV6411F-13D98
Presidential medium back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 992



EV6412F-13D98
Executive low back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


RM 974



EV6413F-92E
Visitor / Conference chair without arm

- 92E epoxy cantilever base

RM 571






EV6410L-13A77
Presidential high back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 1,011 F.L RM 2,020
ZEN | S RM 1,095



EV6411L-13A77
Presidential medium back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 992 F.L RM 1,966
ZEN | S RM 1,076



EV6412L-13A77
Executive low back

- AB13 aluminium base
- A77 fixed armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 974 F.L RM 1,918
ZEN | S RM 1,059



EV6413L-92CA77
Visitor / Conference chair with arm

- 92C chrome cantilever base
- A77 fixed armrest

PU RM 780 F.L RM 1,692
ZEN | S RM 868






EV6410L-13D98
Presidential high back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 1,052 **F.L** RM 2,020
ZEN | S RM 1,137



EV6411L-13D98
Presidential medium back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 1,035 **F.L** RM 1,966
ZEN | S RM 1,119



EV6412L-13D98
Executive low back

- AB13 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 1,016 **F.L** RM 1,918
ZEN | S RM 1,100



EV6413L-92C
Visitor / Conference chair without arm

- 92C chrome cantilever base

PU RM 672 **F.L** RM 1,533
ZEN | S RM 768




SPECIFICATION

a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.



The outlook is complimented with the different coloured fine stitching that spans a continuous spectrum of colours.



White

Grey


Black

Peach

Red

Blue

Green




1. 4D Adjustable Armrest

2. Seat Slider

3. Mechanism

OPTIONAL



Fine Stitches

The outlook is complimented with the different coloured fine stitching that spans a continuous spectrum of colours. (Pic 1)

Fixed Armrest

Upholstered armrest in selected material finishing. (Pic 2)

4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 3, 4)

5 Pronged Base

5 pronged base in die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 6)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 7)

Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 tensions level adjustable knob and multi-locking system designed to adapt your body weight automatically. (Pic 8)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 9)

3 YEARS WARRANTY

Ofis
PREMIER
COMO






CV6110L-10D98
Presidential high back

- AB10 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 1,011 **H.L** RM 1,615
ZEN | S RM 1,095



CV6111L-10D98
Presidential medium back

- AB10 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 926 **H.L** RM 1,512
ZEN | S RM 1,011



CV6112L-10D98
Executive low back

- AB10 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 907 **H.L** RM 1,464
ZEN | S RM 992



CV6113L-19D98
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)

PU RM 970 **H.L** RM 1,584
ZEN | S RM 1,059



FABRIC SERIES


COMO



CV6110F-24A66
Presidential high back

- NB24 nylon base
- A66 fixed armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)


RM 732



CV6111F-24A66
Presidential medium back

- NB24 nylon base
- A66 fixed armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)


RM 647



CV6112F-24A66
Executive low back

- NB24 nylon base
- A66 fixed armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)


RM 629



CV6113F-19A66
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- A66 fixed armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)

RM 767



S P E C I F I C A T I O N



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Armrest


Moulded polypropylene fixed armrest in black finishing.

d Backrest

High quality moulded polypropylene backrest cover in black finishing that come with polyurethane moulded foam for the backrest comfort.

e 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.



1. Adjustable Headrest

2. 4D Adjustable Armrest

3. Seat Slider

4. Self-Weight Tilting Mechanism

OPTIONAL



Adjustable Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, giving comfort and support to neck and head at any seating position. (Pic 1, 2)

4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 3, 4)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 5)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 6, 7)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 8)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 9, 13)

Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 tensions level adjustable knob and multi-locking system designed to adapt your body weight automatically. (Pic 10, 11, 12)

Tilting Mechanism

Metal synchronized mechanism with seat slide and 3 lockings system that come with weight adjustable tension knob (Pic 14, 15, 16)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 17)

3 YEARS WARRANTY

Ofis
PREMIER
HORA






HG6210L-10D98
Presidential high back

- AB10 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)
- Height adjustable backrest


PU RM 1,004 **F.L** RM 1,814
ZEN | S RM 1,089



HG6212L-10D98
Executive low back

- AB10 aluminium base
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)
- Height adjustable backrest


PU RM 920 **F.L** RM 1,718
ZEN | S RM 1,004



HG6213L-19D98
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- D98 4D aluminium adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)
- Height adjustable backrest

PU RM 976 **F.L** RM 1,806
ZEN | S RM 1,065



FABRIC SERIES


HORA



HG6210F-24D91
Presidential high back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)
- Height adjustable backrest


RM 805



HG6212F-24D91
Executive low back

- NB24 nylon base
- D91 4D nylon adjustable armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)
- Height adjustable backrest


RM 720




HG6213F-19D91
Visitor / Conference chair with arm

- AB19 4 pronged aluminium base with stud
- D91 4D nylon adjustable armrest
- MH012S metal synchronized mechanism with seat slide (3 lockings)
- Height adjustable backrest

RM 850



S P E C I F I C A T I O N



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Armrest

Nylon adjustable armrest with polyurethane ampad to enhance support with best comfort.

d 5 Pronged Base

Nylon base that comes with matching 50mm nylon castors.

Hugo offers the best features that an ideal chair should have.



- 1. Adjustable Headrest
- 2. Adjustable Backrest
- 3. 4D Adjustable Armrest
- 4. Seat Slider
- 5. Mechanism

OPTIONAL



Adjustable Headrest

The height adjustable headrest allows precise adjustments of the height, giving comfort and support to neck and head at any seating position. (Pic 1)

4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 2, 3, 4)

Nylon 4D Adjustable Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort (Pic 5, 6, 7)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 8, 9)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 10)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 11, 15)

Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 tensions level adjustable knob and multi-locking system designed to adapt your body weight automatically. (Pic 12, 13, 14)

Tilting Mechanism

Metal synchronized mechanism with seat slide and 3 lockings system that come with weight adjustable tension knob (Pic 16, 17, 18)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 19)

Ofis
PREMIER
SIENA

3 YEARS
WARRANTY






SM6510L-13S54
Presidential high back

- AB13 aluminium base
- S54 aluminium polished armrest
- MH106 rotary point synchronized mechanism (multi-locking)


PU RM 829 F.L RM 1,814
ZEN | S RM 913



SM6511L-13S54
Presidential medium back

- AB13 aluminium base
- S54 aluminium polished armrest
- MH106 rotary point synchronized mechanism (multi-locking)


PU RM 811 F.L RM 1,766
ZEN | S RM 896



SM6512L-13S54
Executive low back

- AB16 aluminium base
- S54 aluminium polished armrest
- MH106 rotary point synchronized mechanism (multi-locking)


PU RM 798 F.L RM 1,718
ZEN | S RM 883



SM6513L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base


PU RM 647 F.L RM 1,584
ZEN | S RM 735



SM6514L-93C
Visitor / Conference chair without arm

- 93C chrome cantilever base


PU RM 577 F.L RM 1,514
ZEN | S RM 666



SM6515L-94C
Visitor / Conference chair without arm

- 94C 4-legged chrome base

PU RM 577 F.L RM 1,514
ZEN | S RM 666






SM6511L-19S54
Visitor / Conference chair
with arm

- AB19 4 pronged aluminium base with stud
- S54 aluminium polished armrest

PU RM 823 F.L RM 1,799

ZEN | S RM 912




SM6512L-19S54
Visitor / Conference chair
with arm

- AB19 4 pronged aluminium base with stud
- S54 aluminium polished armrest

PU RM 811 F.L RM 1,743

ZEN | S RM 900



FABRIC | PU LEATHER | SOFTECH SERIES


SIENA



SM6510F-24E60
Presidential high back

- NB24 nylon base
- E60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 544
PU RM 586
ZEN | S RM 672



SM6511F-24E60
Presidential medium back

- NB24 nylon base
- E60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 527
PU RM 568
ZEN | S RM 653



SM6512F-24E60
Executive low back

- NB24 nylon base
- E60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 514
PU RM 557
ZEN | S RM 642



SM6513F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base


F RM 519
PU RM 564
ZEN | S RM 653



SM6514F-93E
Visitor / Conference chair without arm

- 93E epoxy cantilever base


F RM 475
PU RM 519
ZEN | S RM 608



SM6515F-94E
Visitor / Conference chair without arm

- 94E 4-legged epoxy base

F RM 475
PU RM 519
ZEN | S RM 608






SM6511F-19S60
Visitor / Conference chair
with arm

- AB19 4 pronged aluminium base with stud
- S60 chrome armrest

F RM 722

PU RM 767

ZEN | S RM 856




SM6512F-19S60
Visitor / Conference chair
with arm

- AB19 4 pronged aluminium base with stud
- S60 chrome armrest

F RM 710

PU RM 754

ZEN | S RM 842



OPTIONAL SPECIFICATION



Aluminium Armrest

Die-cast polished finish fixed aluminium armrest with upholstery armpad is designed for its visual aesthetics, durability and reliability. The top upholstery armpad provides soft texture and cushiony feel for a more comfortable resting of elbows. (Pic 1)

Fixed Armrest

Upholstered metal armrest either in chrome or epoxy finish. (Pic 2, 3)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 4, 5)

4 Pronged Base

4 pronged base in die-cast polished aluminium finish with fixed studs, generates by highly sophisticated ambience to provide strong stability. (Pic 6, 8)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 7)

Rotary Point Synchronized Mechanism

Multi-locking mechanism that come with seat height adjustment and revolving tension control function. (Pic 9, 10)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 11, 12)

Ball Motion Mechanism

With the ball motion mechanism, you will be able to sit dynamically. The chair moves as if you were sitting on a ball. Through body muscles, user will keep his body in balance. (Pic 13)

Vertical Mechanism

Non-tilting height adjustable mechanism that will allow user to sit comfortably and safely. (Pic 14)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 15)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. (Pic 16)

Ofis PREMIER ELINI

3 YEARS
WARRANTY



ER5510L-10D36
Presidential high back

- AB10 aluminium base
- D36 adjustable nylon armrest
- MH011 metal synchronized mechanism (1 locking)



ER5511L-10D36
Presidential medium back

- AB10 aluminium base
- D36 adjustable nylon armrest
- MH011 metal synchronized mechanism (1 locking)






ER5512-10D36
Executive low back

- AB10 aluminium base
- D36 adjustable nylon armrest
- MH011 metal synchronized mechanism (1 locking)

PU RM 762 F.L RM 1,512
ZEN | S RM 822

PU RM 677 F.L RM 1,415
ZEN | S RM 738

PU RM 666 F.L RM 1,361
ZEN | S RM 726



ER5513L-89CA
Visitor / Conference chair
with arm

- 89CA chrome cantilever base





ER5514-92C
Visitor / Conference chair
without arm

- 92C chrome cantilever base

PU RM 602 F.L RM 1,318
ZEN | S RM 666

PU RM 526 F.L RM 1,268
ZEN | S RM 589






ER5510F-30A60
Presidential high back

- PB30 polypropylene base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 586
PU RM 605
ZEN | S RM 666



ER5511F-30A60
Presidential medium back

- PB30 polypropylene base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 502
PU RM 520
ZEN | S RM 581



ER5512F-30A60
Executive low back

- PB30 polypropylene base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


F RM 490
PU RM 508
ZEN | S RM 568



ER5513F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base


F RM 501
PU RM 519
ZEN | S RM 583




ER5514F-92E
Visitor / Conference chair without arm

- 92E epoxy cantilever base

F RM 450
PU RM 469
ZEN | S RM 532



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts.

b Under Seat

Bottom polypropylene cover which made of recycled material is unconventionally secured to the seat that eases the exchange and replacement of the seat upholstery.

c Armrest

Nylon adjustable armrest with polyurethane arm pad to enhance support with best comfort.

d Backrest

Moulded polypropylene backrest frame in black finish.

e 5 Pronged Base

Polypropylene base that comes with matching 50mm nylon castors.

1. Adjustable Headrest
2. Adjustable Armrest
3. Mechanism



OPTIONAL



Adjustable Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, giving comfort and support to neck and head at any seating position. (Pic 1, 2)

Nylon Adjustable Armrest

Nylon adjustable armrest with polyurethane ampad to enhance support with best comfort. (Pic 3)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 4)

5 Pronged Base

5 pronged base in either polypropylene, nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5, 6, 7)

Nylon Castors

50mm or 60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 8)

Backrest Cover

High quality moulded polypropylene backrest cover, decorated with horizontal strips offer in black finishing, is designed for green environment with its recyclable materials, quality upholstery, while adding elegant to the contours of the backrest. (Pic 9)

Tilting Mechanism

Metal synchronized mechanism with seat slide and 3 lockings system that come with weight adjustable tension knob. (Pic 10, 11, 12)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 13)

3 YEARS WARRANTY

Ofis
PREMIER
FIRENZE






FT5710F-30A76
Presidential high back

- PB30 polypropylene base
- A76 fixed armrest
- MH100 metal spring mechanism (1 locking)

F RM 490

PU RM 508

ZEN | S RM 568




FT5711F-30A76
Presidential medium back

- PB30 polypropylene base
- A76 fixed armrest
- MH100 metal spring mechanism (1 locking)

F RM 436

PU RM 454

ZEN | S RM 514




FT5712F-30A76
Executive low back

- PB30 polypropylene base
- A76 fixed armrest
- MH100 metal spring mechanism (1 locking)

F RM 423

PU RM 442

ZEN | S RM 502




FT5713F-93EA76
Visitor / Conference chair with arm

- 93E epoxy cantilever base

F RM 424

PU RM 443

ZEN | S RM 507




FT5714F-94EA76
Visitor / Conference chair with arm

- 94E epoxy cantilever base


F RM 424

PU RM 443

ZEN | S RM 507



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Armrest

Moulded polypropylene fixed armrest in black finishing.

d Backrest

Moulded polypropylene backrest cover in black finishing.

e 5 Pronged Base

Polypropylene base that comes with matching 50mm nylon castors.

OPTIONAL



Headrest

The contoured fix headrest in black finish provide comfort support to neck and head. (Pic 1)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 2)

5 Pronged Base

5 pronged base in either polypropylene or nylon finish, generates by highly sophisticated ambience to provide strong stability. (Pic 3, 4)

Nylon Castors

50mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 5)

Backrest Cover

High quality moulded polypropylene backrest cover in black finishing. The cover is designed for green environment with its recyclable materials, quality upholstery, while adding elegant to the contours of the backrest. (Pic 6)

Tilting Mechanism

Metal spring mechanism with 1 locking system at the seat right posture and tilt at 25 reclining position, allows tilting of backrest and seating at the same angle, to ease user movement. (Pic 7)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each user's physique. (Pic 8)

Ofis
PREMIER
ASTI

3 YEARS
WARRANTY






AR5310L-10D91
Presidential high back

- AB10 aluminium base
- D91 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)

PU RM 747 **F.L** RM 1,795

H.L RM 1,535




AR5311L-10D91
Presidential medium back

- AB10 aluminium base
- D91 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)

PU RM 735 **F.L** RM 1,745

H.L RM 1,490




AR5312L-10D91
Executive low back

- AB10 aluminium base
- D91 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)

PU RM 722 **F.L** RM 1,694

H.L RM 1,453




AR5313L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 638 **F.L** RM 1,630

H.L RM 1,384




AR5314L-92C
Visitor / Conference chair without arm

- 92C chrome cantilever base

PU RM 573 **F.L** RM 1,530

H.L RM 1,310






AR5310F-30A72
Presidential high back

- PB30 polypropylene base
- A72 fixed nylon armrest
- MH011 metal synchronized mechanism (1 locking)

F RM 520

PU RM 547




AR5311F-30A72
Presidential medium back

- PB30 polypropylene base
- A72 fixed nylon armrest
- MH011 metal synchronized mechanism (1 locking)

F RM 508

PU RM 534




AR5312F-30A72
Executive low back

- PB30 polypropylene base
- A72 fixed nylon armrest
- MH011 metal synchronized mechanism (1 locking)

F RM 495

PU RM 520




AR5313F-89EA
Visitor / Conference chair
with arm

- 89EA epoxy cantilever base

F RM 492

PU RM 519




AR5314F-92E
Visitor / Conference chair
without arm

- 92E epoxy cantilever base

F RM 452

PU RM 479



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.



b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.



c Armrest

Moulded nylon fixed armrest in black finish.



d 5 Pronged Base

Polypropylene base that comes with matching 50mm nylon castors.

OPTIONAL



4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 1, 2)

Fixed Armrest

Moulded nylon armrest in black finish. (Pic 3)

5 Pronged Base

5 pronged base in either polypropylene or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 4, 5)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 6)

Capping Finishing

Strip capping with chrome / black finish located at the bottom of the chair backrest enhances quality upholstery while adding elegant design to the contours of the backrest (Pic 7, 8)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 9, 10)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 11)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 12)

3 YEARS WARRANTY

Ofis
PREMIER
ZAFFA






ZY5210L-13S50
Presidential high back

- AB13 aluminium base
- S50 metal chrome armrest
- MH008 swivel knee tilt synchronized mechanism


PU RM 868 F.L RM 1,890
H.L RM 1,624



ZY5211L-13S50
Presidential medium back

- AB13 aluminium base
- S50 metal chrome armrest
- MH008 swivel knee tilt synchronized mechanism


PU RM 850 F.L RM 1,840
H.L RM 1,573



ZY5212L-13S50
Executive low back

- AB16 aluminium base
- S50 metal chrome armrest
- MH008 swivel knee tilt synchronized mechanism


PU RM 836 F.L RM 1,783
H.L RM 1,523



ZY5213L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 678 F.L RM 1,636
H.L RM 1,403



OPTIONAL



Fine Stitches

Enhanced quality upholstery and fine stitching workmanship. (Pic 1)

Chrome Armrest

Chrome metal frame armrest with upholstery armpad is designed for its visual aesthetics, durability and reliability. The top upholstery armpad provides soft texture and cushiony feel for a more comfortable resting of elbows. (Pic 2)

Aluminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. (Pic 3)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 4)

Tilting Mechanism

Swivel Knee Tilt Synchronized Mechanism with multi tilting lock system and tilt at 30° reclining position, not only allows separate tilting of backrest and seating in different angles, but also with angle locker helps user to control over tilting angles depending on preferred working postures, making every seating position a perfect balanced environment. (Pic 5)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 6)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. (Pic 7)

Ofis
PREMIER
BELLA

3 YEARS
WARRANTY



LEATHER SERIES

BELLA



BY 330L-10D42
Presidential high back

- AB10 aluminium high base
- D42 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 749 F.L RM 1,804
H.L RM 1,537

Height 1110mm x 1190mm
Width 480mm x 640mm
Depth 480mm



BY 331L-10D42
Presidential Medium Back

- AB10 aluminium high base
- D42 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 737 F.L RM 1,746
H.L RM 1,486

Height 1000mm x 1180mm
Width 480mm x 640mm
Depth 480mm



BY 332L-10D42
Executive low back

- AB10 aluminium high base
- D42 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 724 F.L RM 1,696
H.L RM 1,442

Height 890mm x 970mm
Width 480mm x 640mm
Depth 480mm



BY 333L-83CA
Visitor / Conference chair with arm

- 83CA chrome cantilever base

PU RM 599 F.L RM 1,557
H.L RM 1,324

Height 900mm
Width 480mm x 580mm
Depth 480mm



BY 334L-92C
Visitor / Conference chair without arm

- 92C chrome cantilever base

PU RM 539 F.L RM 1,497
H.L RM 1,264

Height 900mm
Width 480mm
Depth 480mm



BY 330F-20A65
Presidential high back

- NB20 nylon high base
- A65 T' armrest
- MH002 point synchronized mechanism with multi locking

F RM 597
PU RM 623

Height 1110mm x 1190mm
Width 480mm x 640mm
Depth 480mm



BY 331F-20A65
Presidential Medium Back

- NB20 nylon high base
- A65 T' armrest
- MH002 point synchronized mechanism with multi locking

F RM 584
PU RM 609

Height 1000mm x 1180mm
Width 480mm x 640mm
Depth 480mm



BY 332F-20A65
Executive low back

- NB20 nylon high base
- A65 T' armrest
- MH002 point synchronized mechanism with multi locking

F RM 572
PU RM 597

Height 890mm x 970mm
Width 480mm x 640mm
Depth 480mm



BY 333F-83EA
Visitor / Conference chair with arm

- 83EA epoxy cantilever base

F RM 512
PU RM 539

Height 900mm
Width 480mm x 580mm
Depth 480mm



BY 334F-92E
Visitor / Conference chair without arm

- 92E epoxy cantilever base

F RM 466
PU RM 492

Height 900mm
Width 480mm
Depth 480mm

S P E C I F I C A T I O N



Fixed Armrest

T-shape design matched moulded polypropylene armrest in black finish. **(Pic. 1)**

Adjustable Armrest with Polyurethane Armpad

Adjustable armrest with chrome finish, a compactly designed armrest allowing height adjustment to firmly support elbows and eliminate stress for extended hours of work; while the polyurethane armpad is soft and designed with pivot adjustable mechanism allow top slider to rotate in multi-angle to enhance support with best comfort. **(Pic. 2 / 3)**

Nylon High Base

5 pedestal high legged black finish nylon base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 4)**

Aluminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 5)**

Polyurethane Castors

Sturdy 60mm polyurethane dual-wheel castors are designed for smooth gliding with safety feature, enable user to swivel in any directions in a perfect balanced-environment, and also reduce floor scratches and chair noise while moving. **(Pic. 6)**

FINE STITCHES

Strip capping with chrome finish located at the bottom of the chair backrest enhances quality upholstery while adding elegant design to the contours of the backrest. **(Pic. 7)**

Tilting Mechanism

Point synchronized technology with multi-locking mechanism, not only allows separate tilting of backrest and seating in different angles, but more advance with multi angle locker helps user to control over maximum levels of tilting angles depending on preferred working postures, making every seating position a perfect balanced environment. **(Pic. 8)**

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. **(Pic. 9)**

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. **(Pic. 10)**

O P T I O N A L



1. POLYPROPYLENE BASE CODE: PB 30

5 pronged polypropylene base with dual-wheels nylon castors.

2. NYLON HIGH BASE CODE: NB 20

5 pedestal high legged black finish nylon base with sturdy 60mm dual-wheel polyurethane castors.

3. ALUMINIUM HIGH BASE CODE: AB 10

5 pronged die-cast aluminium polished base with sturdy 60mm dual-wheel polyurethane castors.

4. T' ARMREST CODE: A 65

Design matched moulded polypropylene fixed armrest in black finish.

5. ADJUSTABLE ARMREST (Chrome) CODE: D 42

Adjustable armrest in chrome finish allows multi-locking position and pivot top PU pad.

6. POINT SYNCHRONIZED MECHANISM CODE: MH 002

Point synchronized technology with multi-locking mechanism.



Ofis

PREMIER

SAMO

3 YEARS WARRANTY





SD 180L-12S58
Presidential high back

- AB12 aluminium high base
- S58 aluminium armrest
- MH108 knee tilt mechanism with multi locking

PU RM 692 **F.L** RM 1,696
H.L RM 1,448

Height 1150mm x 1230mm
Width 530mm x 620mm
Depth 480mm



SD 181L-12S58
Presidential medium back

- AB12 aluminium high base
- S58 aluminium armrest
- MH108 knee tilt mechanism with multi locking

PU RM 679 **F.L** RM 1,645
H.L RM 1,397

Height 1050mm x 1130mm
Width 530mm x 620mm
Depth 480mm



SD 182L-12S58
Executive low back

- AB12 aluminium high base
- S58 aluminium armrest
- MH108 knee tilt mechanism with multi locking

PU RM 667 **F.L** RM 1,587
H.L RM 1,360

Height 950mm x 1030mm
Width 530mm x 620mm
Depth 480mm



SD 183L-90CS58
Visitor / Conference chair with arm

- 90CS chrome cantilever base

PU RM 559 **F.L** RM 1,497
H.L RM 1,277

Height 940mm
Width 530 x 620mm
Depth 480mm



SD 180F-30A78
Presidential high back

- PB30 polypropylene base
- A78 L' armrest
- MH100 metal spring mechanism with single locking

F RM 470

PU RM 495

Height 1130mm x 1230mm
Width 530mm x 630mm
Depth 480mm



SD 181F-30A78
Presidential medium back

- PB30 polypropylene base
- A78 L' armrest
- MH100 metal spring mechanism with single locking

F RM 458

PU RM 483

Height 1030mm x 1130mm
Width 530mm x 630mm
Depth 480mm



SD 182F-30A78
Executive low back

- PB30 polypropylene base
- A78 L' armrest
- MH100 metal spring mechanism with single locking

F RM 444

PU RM 470

Height 930mm x 1030mm
Width 530mm x 630mm
Depth 480mm



SD 183F-90EA78
Visitor / Conference chair with arm

- 90EA epoxy cantilever base

F RM 433

PU RM 459

Height 940mm
Width 530 x 630mm
Depth 480mm

S P E C I F I C A T I O N



Fixed Armrest

L-shape design matched moulded polypropylene armrest in black finish. **(Pic. 1)**

Polished Aluminium Armrest

Polished aluminium armrest with upholstery armpad is designed for its visual aesthetics, durability and reliability. The top upholstery armpad provides soft texture and cushiony feel for a more comfortable resting of elbows. **(Pic. 2)**

Aluminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 3)**

Fine Stitches

Enhanced quality upholstery and fine stitching workmanship. **(Pic.4)**

Tilting Mechanism

Swivel metal spring mechanism with one locking system at the seat right posture and tilt at 25° reclining position, allows tilting of backrest and seating at the same angle, to ease user movement. **(Pic.5)**

Swivel knee tilt mechanism with multi tilting lock system and tilt at 30° reclining position, allows tilting of backrest and seating in same angle, also allows angle locker to help user to control over tilting angles for desired working postures. **(Pic.6)**

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. **(Pic. 7)**

Sponge

High density polyurethane sponge, provides soft and cushiony seating feeling. **(Pic.8)**

O P T I O N A L



1. **POLYPROPYLENE BASE CODE: PB 30**
5 pronged polypropylene base with dual-wheels nylon castors.

2. **ALUMINIUM BASE CODE: AB 12**
5 pronged die-cast aluminium polished base with nylon castors.

3. **L' ARMREST CODE: A 78**
Design matched moulded polypropylene fixed armrest in black finish.

4. **POLISHED ALUMINIUM ARMREST CODE: S 58**
Polished aluminium armrest with top upholstery armpad.

5. **METAL SPRING MECHANISM CODE: MH 100**
Swivel dual tilt mechanism with one locking system .

6. **KNEE TILT MECHANISM CODE: MH 108**
Swivel Knee Tilt Mechanism with multi-locking system.

Ofis PREMIER PETINA

3 YEARS
WARRANTY






PG5110L-10D90
Presidential high back

- AB10 aluminium high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 883 **F.L** RM 1,892
H.L RM 1,626



PG5111L-10D90
Presidential medium back

- AB10 aluminium high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 864 **F.L** RM 1,841
H.L RM 1,575



PG5112L-10D90
Executive low back

- AB10 aluminium high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


PU RM 851 **F.L** RM 1,785
H.L RM 1,525



PG5113L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base

PU RM 658 **F.L** RM 1,583
H.L RM 1,350






PG5110F-20D90
Presidential high back

- NB20 nylon high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


F RM 800
PU RM 826



PG5111F-20D90
Presidential medium back

- NB20 nylon high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


F RM 782
PU RM 807



PG5112F-20D90
Executive low back

- NB20 nylon high base
- D90 4D nylon adjustable armrest
- MH024S self-weight adjustment synchronized mechanism with seat slide (multi-locking)


F RM 768
PU RM 794



PG5113F-89EA
Visitor / Conference chair with arm

- 89EA epoxy cantilever base

F RM 545
PU RM 573



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts.

b Armrest


Nylon adjustable armrest with nylon armpad to enhance support with best comfort.

c 5 Pronged Base

Nylon high base that comes with 60mm polyurethane castors.



OPTIONAL



4D Nylon Adjustable Armrest

Nylon adjustable armrest with nylon armpad to enhance support with best comfort. (Pic 1, 2)

5 Pronged Base

5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 3, 4)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 5)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 6, 7)

Self-Weight Tilting Mechanism

Self-weight adjustment synchronized mechanism with 3 tensions level adjustable knob and multi-locking system designed to adapt your body weight automatically. (Pic 8,9)

Capping Finishing

Strip capping with chrome finish located at the bottom of the chair backrest enhances quality upholstery while adding elegant design to the contours of the backrest. (Pic 10)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 11)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 12)

Ofis PREMIER KLAUS

3 YEARS
WARRANTY






KR5410L-10D90
Presidential high back

- AB10 aluminium base
- D90 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)


RM 747



KR5411L-10D90
Presidential medium back

- AB10 aluminium base
- D90 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)


RM 735



KR5412L-10D90
Executive low back

- AB10 aluminium base
- D90 4D nylon adjustable armrest
- MH011 metal synchronized mechanism (1 locking)


RM 722



KR5413L-89CA
Visitor / Conference chair with arm

- 89CA chrome cantilever base


RM 638



KR5414L-92C
Visitor / Conference chair without arm

- 92C chrome cantilever base

RM 573






KR5410F-30A66
Presidential high back

- PB30 polypropylene base
- A66 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


RM 520



KR5411F-30A66
Presidential medium back

- PB30 polypropylene base
- A66 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


RM 508



KR5412F-30A66
Executive low back

- PB30 polypropylene base
- A66 fixed armrest
- MH011 metal synchronized mechanism (1 locking)


RM 495



KR5413F-89EA
Visitor / Conference chair
with arm

- 89EA epoxy cantilever base


RM 492



KR5414F-92E
Visitor / Conference chair
without arm

- 92E epoxy cantilever base

RM 452



SPECIFICATION



a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover.

b Under Seat

Bottom polypropylene cover which made of recycled material is secured to the seat.

c Armrest

Nylon adjustable armrest with polyurethane armpad to enhance support with best comfort.

d 5 Pronged Base

Polypropylene base that comes with matching 50mm nylon castors.

OPTIONAL



4D Adjustable Armrest with Polyurethane Armpad

Telescope in and out, move forward and back, pivot, and adjust up and down which provides natural position that comfortably supports the wrists, forearms, shoulders and neck. (Pic 1, 2)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 3)

5 Pronged Base

5 pronged base in either polypropylene or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 4, 5)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 6)

Capping Finishing

Strip capping with chrome / black finish located at the bottom of the chair backrest enhances quality upholstery while adding elegant design to the contours of the backrest (Pic 7, 8)

Tilting Mechanism

Metal synchronized mechanism with 1 locking system that come with weight adjustable tension knob. (Pic 9, 10)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 11)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 12)

Ofis
PREMIER
KASTEL

3 YEARS WARRANTY



LEATHER SERIES

KASTEL

3 YEARS WARRANTY




KL5610L-13S58
Presidential high back

- AB13 aluminium base
- S58 aluminium polished armrest
- MH108 swivel knee tilt mechanism (multi-locking)

PU RM 728 F.L RM 1,732

H.L RM 1,484




KL5611L-13S58
Presidential medium back

- AB13 aluminium base
- S58 aluminium polished armrest
- MH108 swivel knee tilt mechanism (multi-locking)

PU RM 716 F.L RM 1,681

H.L RM 1,434




KL5612L-13S58
Executive low back

- AB13 aluminium base
- S58 aluminium polished armrest
- MH108 swivel knee tilt mechanism (multi-locking)

PU RM 703 F.L RM 1,624

H.L RM 1,395




KL5613L-90CS58
Visitor / Conference chair with arm

- 90C chrome cantilever base
- S58 aluminium polished armrest

PU RM 585 F.L RM 1,524

H.L RM 1,304






KL5610F-30A70
Presidential high back

- PB30 polypropylene base
- A70 fixed armrest
- MH100 metal spring mechanism (1 locking)


F RM 470
PU RM 495



KL5611F-30A70
Presidential medium back

- PB30 polypropylene base
- A70 fixed armrest
- MH100 metal spring mechanism (1 locking)


F RM 458
PU RM 483



KL5612F-30A70
Executive low back

- PB30 polypropylene base
- A70 fixed armrest
- MH100 metal spring mechanism (1 locking)


F RM 444
PU RM 470



KL5613F-90EA70
Visitor / Conference chair with arm

- 90E epoxy cantilever base
- A70 fixed armrest

F RM 433
PU RM 459



SPECIFICATION



OPTIONAL

Aluminium Armrest

Die-cast polished finish fixed aluminium armrest with upholstery armpad is designed for its visual aesthetics, durability and reliability. The top upholstery armpad provides soft texture and cushiony feel for a more comfortable resting of elbows. (Pic 1)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 2)

5 Pronged Base

5 pronged base in either polypropylene or die-cast aluminium polished finish, generates by highly sophisticated ambience to provide strong stability. (Pic 3, 4)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 5)

Tilting Mechanism

Swivel knee tilt mechanism with multi tilting lock system and tilt at 30° reclining position, allows tilting of backrest and seating in same angle, also allows angle locker to help user to control over tilting angles for desired working postures. (Pic 6, 7)

Tilting Mechanism

Metal spring mechanism with 1 locking system at the seat right posture and tilt at 25° reclining position, allows tilting of backrest and seating at the same angle, to ease user movement. (Pic 8)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 9)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 10)



Ofis
PREMIER
PALENA

3 YEARS
WARRANTY



PR 120L-12S52
Presidential high back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

PU RM 832 F.L RM 1,855
H.L RM 1,587

Height 1190mm x 1270mm
Width 500mm x 650mm
Depth 500mm



PR 121L-12S52
Presidential medium back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

PU RM 813 F.L RM 1,804
H.L RM 1,537

Height 1080mm x 1160mm
Width 500mm x 650mm
Depth 500mm



PR 122L-12S52
Executive low back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

PU RM 800 F.L RM 1,746
H.L RM 1,486

Height 980mm x 1060mm
Width 480mm x 630mm
Depth 500mm



PR 123L-82C
Visitor / Conference chair with arm

- 82C chrome cantilever base

PU RM 652 F.L RM 1,610
H.L RM 1,377

Height 930mm
Width 480 x 550mm
Depth 500mm



PR 120F-12S52
Presidential high back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

RM 808



PR 121F-12S52
Presidential medium back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

RM 788



PR 122F-12S52
Executive low back

- AB12 aluminium high base
- S52 metal chrome armrest
- MH001 knee tilt synchronized mechanism with multi locking

RM 778



PR 123F-82E
Visitor / Conference chair with arm

- 82E epoxy cantilever base

RM 565

SPECIFICATION



Chrome Armrest

Chrome metal frame armrest with upholstery armpad is designed for its visual aesthetics, durability and reliability. The top upholstery armpad provides soft texture and cushiony feel for a more comfortable resting of elbows. **(Pic. 1)**

Aluminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 2)**

Fine Stitches

Enhanced quality upholstery and fine stitching workmanship. **(Pic. 3)**

Tilting Mechanism

Swivel Knee Tilt Synchronized Mechanism with multi tilting lock system and tilt at 30° reclining position, not only allows separate tilting of backrest and seating in different angles, but also with angle locker helps user to control over tilting angles depending on preferred working postures, making every seating position a perfect balanced environment. **(Pic. 4)**

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. **(Pic. 5)**

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. **(Pic. 6)**

OPTIONAL



1. **ALUMINIUM BASE CODE: AB 12**
5 pronged die-cast aluminium polished base with nylon castors.
2. **METAL CHROME ARMREST CODE: S 52**
Chrome metal frame armrest with upholstery top armpad.
3. **KNEE TILT SYNCHRONIZED MECHANISM CODE: MH 001**
Swivel Knee Tilt Synchronized Mechanism with multi-locking system.



Ofis
PREMIER
BAVENO

3 YEARS
WARRANTY





BR 320L-10D46
Presidential high back

- AB10 aluminium high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 782 F.L RM 1,804
H.L RM 1,537

Height 1190mm x 1270mm
Width 480mm x 630mm
Depth 480mm



BR 321L-10D46
Presidential medium back

- AB10 aluminium high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 768 F.L RM 1,746
H.L RM 1,486

Height 1090mm x 1170mm
Width 480mm x 630mm
Depth 480mm



BR 322L-10D46
Executive low back

- AB10 aluminium high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

PU RM 756 F.L RM 1,696
H.L RM 1,442

Height 910mm
Width 480mm x 590mm
Depth 480mm



BR 323L-80C
Visitor / Conference chair with arm

- 80C chrome cantilever base

PU RM 619 F.L RM 1,537
H.L RM 1,324

Height 910mm
Width 480 x 570mm
Depth 480mm



BR 320F-20D46
Presidential high back

- NB20 nylon high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

RM 692

Height 1190mm x 1270mm
Width 480mm x 630mm
Depth 480mm



BR 321F-20D46
Presidential medium back

- NB20 nylon high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

RM 679

Height 1090mm x 1170mm
Width 480mm x 630mm
Depth 480mm



BR 322F-20D46
Executive low back

- NB20 nylon high base
- D46 adjustable armrest (chrome)
- MH002 point synchronized mechanism with multi locking

RM 667

Height 970mm x 1050mm
Width 480mm x 630mm
Depth 480mm



BR 323F-80E
Visitor / Conference chair with arm

- 80E epoxy cantilever base

RM 532

Height 910mm
Width 480 x 590mm
Depth 480mm

S P E C I F I C A T I O N



Adjustable Armrest with Polyurethane Armpad

Adjustable armrest with epoxy black finish, a compactly designed armrest allowing height adjustment to firmly support elbows and eliminate stress for extended hours of work; while the polyurethane armpad is soft and designed to enhance support with best comfort. **(Pic. 1)**

Adjustable armrest with chrome finish, a compactly designed armrest allowing height adjustment to firmly support elbows and eliminate stress for extended hours of work; while the polyurethane armpad is soft and designed to enhance support with best comfort. **(Pic. 2)**

Nylon High Base

5 pedestal high legged black finish nylon base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 3)**

Aluminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. **(Pic. 4)**

Polyurethane Castors

Sturdy 60mm polyurethane dual-wheel castors are designed for smooth gliding with safety feature, enable user to swivel in any directions in a perfect balanced-environment, and also reduce floor scratches and chair noise while moving. **(Pic. 5)**

Fine Stitches

Enhanced quality upholstery and fine stitching workmanship. **(Pic. 6)**

Tilting Mechanism

Point synchronized technology with multi-locking mechanism, not only allows separate tilting of backrest and seating in different angles, but more advance with multi angle locker helps user to control over maximum levels of tilting angles depending on preferred working postures, making every seating position a perfect balanced environment. **(Pic. 7)**

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. **(Pic. 8)**

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. **(Pic. 9)**

O P T I O N A L



1. **NYLON HIGH BASE CODE: NB 20**
5 pedestal high legged black finish nylon base with sturdy 60mm dual-wheel polyurethane castors.
2. **ALUMINIUM HIGH BASE CODE: AB 10**
5 pronged die-cast aluminium polished base with sturdy 60mm dual-wheel polyurethane castors.
3. **ADJUSTABLE ARMREST (Epoxy) CODE: D 48**
Adjustable armrest in multi-locking position with epoxy finish and top PU pad.
4. **ADJUSTABLE ARMREST (Chrome) CODE: D 46**
Adjustable armrest in multi-locking position with chrome finish and top PU pad.
5. **POINT SYNCHRONIZED MECHANISM CODE: MH 002**
Point synchronized technology with multi-locking mechanism.


Synthetic Leather




CHAIR




SOFA



SL 020 SNOW WHITE



SL 033 MILKY CREAM




SL 029 FATTY CREAM



SL 035 LIGHT BROWN



SL 044 JUICY ORANGE



SL 021 LIGHT ORANGE



SL 027 STAND STONE



SL 047 MIDDLE BROWN



SL 034 BITTER ORANGE



SL 039 LEAVE GREEN



SL 022 NANNY GREY



SL 037 SHADOW



SL 028 CHILLE RED



SL 055 SEA BLUE



SL 043 LIGHT GREY



SL 046 SNAIL GREY



SL 031 DUMMY MEROON



SL 026 LAKE BLUE



SL 025 CHOCOLATE



SL 048 CLOUDY BLACK


Synthetic Leather



CHAIR




SOFA




SL 051

BARRACUDA



SL 065

CARP




SL 053

BETTA



SL 058

FLOUNDER




SL 061

CROW




SL 056

PUFFER



SL 066

TUNA



SL 060

TARPON



SL 067

CARP



SL 062

GROUPER



SL 052

ANCHOVY



SL 064

STURGRON



SL 057

DOLPHIN



SL 054

HARRING



SL 063

BULLHEAD



SL 059

BREAM



SL 068

WHALE


softech



CHAIR



SOFA




STN 4131-80B

LIGHT GREY




STF 4131-80S

LIGHT GREY




STN 4131-82B

LEAFY GREEN




STF 4131-82S

LEAFY GREEN



STN 4131-84B

TURQUOISE BLUE



STF 4131-84S

TURQUOISE BLUE



STN 4131-86B

DARK BLUE



STF 4131-86S

DARK BLUE


softech



CHAIR




SOFA




STF 4131-81S

DARK RED




STN 4131-81B

DARK RED



STF 4131-83S

LINE GREEN



STN 4131-83B

LINE GREEN



STF 4131-85S

MID GREY



STN 4131-85B

MID GREY



STF 4131-87S

BLACK



STN 4131-87B

BLACK

VEGAS




vg107 Oyster



vg301 Pearl



vg350 Seaspray



vg099 Arcibo



vg302 Barley



vg371 Seashell



vg094 Slip



vg352 Wedgewood



vg372 Cream



vg373 Bisque



vg153 Latte




vg354 Sapphire



vg093 Aruba



vg375 Wheat



vg391 Silver



vg519 Oceanic



vg011 Platinum



vg393 Grey



vg356 Atlantis



vg510 Navy



vg051 Java



vg394 Pewter



vg125 Raven



vg365 Purple



vg397 Night Gold



vg043 Eucalyptus




vg398 Black Pearl



vg009 Hawana


VEGAS




vg353 Blue



vg105 Belize



vg331 Lemon




vg115 Ocha




vg355 Expensive Blue



vg106 Calypso




vg342 Cream Gold



vg340 Bottle Green



vg364 China Blue



vg087 Lobster



vg348 Ultra Green




vg116 Oasis



vg089 Scuba



vg320 Mars Red



vg322 Desert Sun




vg346 Green Olive



vg035 Honeymoon



vg319 Brick Red



vg335 Brilliant Yellow



vg347 Mineral Green



vg513 Aquamarine



vg316 Persian Red



vg336 Winter Sun



vg412 Avocado



vg514 Twilight



vg028 Montego



vg334 Sunrise




vg012 Montserrat

Seating & Panel Fabric

VERTEX

Discover the designer in you



1818-07 SCUBA



1818-18 SLIP



1818-26 BERMUDA



1818-02 ARECIBO



1818-23 MARTIQUE



1818-05 WINDJAMMER



1818-08 DESSERT




1818-17 PASED



1818-01 CAYMAN



1818-13 HULA



1818-22 CALYPSO



1818-29 TABOO



1818-03 BAHAMAS



1818-15 DEMERERA



1818-28 JAMAICA



1818-12 BLACK GLORY

NATURA LEATHER



N-169

Natura is designed and engineered for durability over time with its resilient body and yield optimization making it ideal for both high performance residential and commercialized furniture. It is available in wide array of most prevailing color palette.



N-695



N-691

NATURA LEATHER



N-692



N-500



LAKE



N-661



N-678



N-668



N-669



N-683



N-2012



MUSTARD



N-693



N-2020



N-666



N-665



N-6216



BLUE



N-600



N-2900



N-696



N-610



N-685



N-118



GREEN




N-670

Matching PVC : Available for all colors

Color Disclaimer : Actual stock might vary from samples shown. Slight color variations from batch to batch should be expected.




CABRIOLET 3361-81




CHEETAH 3361-84




COCKY 3361-87



CAMION 3361-82



CACTUS 3361-85



CROWN 3361-88



CHARIOT 3361-83



CIVIL 3361-86



CURACAO 3361-89


Mesh

SATELLITE


Discover the designer in you



RALLIDAE N11-02



APATURA N11-22




ARAMIDAE N11-06




TURNICIDAE N11-08




GRUIDAE N11-04



JACANIDAE N11-12




ARGYNNIS N11-20




CHIONIDAE N11-10



BOCORIA N11-24




LARIDAE N11-14



NUMIDIDAE N11-16




SCOPIDAE N11-18




ADELA

225 1-64



ADRIE

225 1-66




ABAGAIL

225 1-61




ACACIA

225 1-63




AFFTON

225 1-67



BAIRRE

1633-71



BARTLEY

1633-79



BERTIE

1633-73




BUDDY

1633-68




BIRDY

1633-65



BERLY

1633-62



BEVAN

1633-77

ZEN PU leather



CHAIR



SOFA



Z-170

ZEAL



Z-177

ZIG



Z-181

ZITER



Z-184

ZONE



Z-171

ZEALOT



Z-173

ZEBU



Z-188

ZOMBI



Z-176

ZEST



Z-189

ZOLOGY



Z-185

ZOOM



Z-172

ZEBRA



Z-183

ZONAL



Z-178

ZINC



Z-182

ZODIAC



Z-179

ZINNIA



Z-187

ZONISM



Z-175

ZERO



Z-186

ZINCO



Z-174

ZEPELIN



Z-180

ZIP

ZEN PU leather



CHAIR



SOFA




Z-153 ZULU



Z-159 ZOIC



Z-151 ZOOTSUIT



Z-150

ZOOPHYTE



Z-155 ZYGOTO



Z-154 ZYGAPA



Z-157 ZENA



Z-161 ZEALOUS



Z-160 ZAG



Z-162 ZELLO



Z-156 ZANG



Z-163 ZOO



Z-158 ZEPHYR



Z-152 ZOUAVE